

価格表

STEEL PIPE FLANGES






ステンレス鋼製管フランジ
(2021年度版)

炭素鋼製管フランジ
(2008年度版)

STAINLESS STEEL THREADED FITTINGS








ステンレス鋼製ねじ込み管継手
(2022年度版)



材 質		SUSF304										
品 名		SOP FF			BL FF			SOP RF		BL RF		SOP LJ
形 状												
規 格		JIS B2220 / MD 標準										
呼径/圧力		5K	10K	20K	5K	10K	20K	10K	20K	10K	20K	10K
10 ^A	3/8 ^B	680	1,160	1,480	720	1,310	1,630	1,280	1,630	1,450	1,800	1,280
15 ^A	1/2 ^B	680	1,160	1,480	720	1,310	1,630	1,280	1,630	1,450	1,800	1,280
20 ^A	3/4 ^B	800	1,430	1,780	910	1,700	2,060	1,570	1,960	1,870	2,270	1,570
25 ^A	1 ^B	980	2,200	2,750	1,130	2,580	3,160	2,420	3,030	2,840	3,480	2,420
32 ^A	1-1/4 ^B	1,740	2,850	3,490	2,110	3,610	4,210	3,140	3,840	3,980	4,640	3,140
40 ^A	1-1/2 ^B	1,740	2,850	3,490	2,110	3,610	4,210	3,140	3,840	3,980	4,640	3,140
50 ^A	2 ^B	2,170	3,270	3,840	2,830	4,220	4,640	3,600	4,230	4,650	5,110	3,600
65 ^A	2-1/2 ^B	2,850	4,300	5,200	3,880	6,120	6,820	4,730	5,720	6,740	7,510	4,730
80 ^A	3 ^B	3,460	4,300	7,460	5,180	6,580	9,750	4,730	8,210	7,240	10,800	4,730
90 ^A	3-1/2 ^B	4,120	5,160		7,100	8,550						
100 ^A	4 ^B	4,120	5,160	9,630	7,100	8,550	13,800	5,680	10,600	9,410	15,200	5,680
125 ^A	5 ^B	5,610	7,970	15,400	10,000	13,500	28,350	8,770	17,000	14,900	29,400	8,770
150 ^A	6 ^B	8,540	11,100	19,900	14,500	18,900	38,880	12,300	21,900	20,800	40,320	12,300
200 ^A	8 ^B	12,200	13,100	24,800	23,500	26,100	56,160	14,500	27,300	28,800	58,240	14,500
250 ^A	10 ^B	18,300	20,800	43,100	36,900	42,800	97,740	22,900	47,500	47,100	101,360	22,900
300 ^A	12 ^B	19,900	22,200	50,800	46,400	52,600	127,980	24,500	55,900	57,900	132,720	25,500
350 ^A	14 ^B	28,000	32,100		66,000	74,600		35,400				
400 ^A	16 ^B	34,400	46,400		88,500	109,400		51,100				
450 ^A	18 ^B	44,300	59,600		112,000	144,000						
500 ^A	20 ^B	51,400	71,000		141,600	182,400						
550 ^A	22 ^B	67,200	93,900		186,000	254,100						
600 ^A	24 ^B	72,600	99,400		216,500	305,100						









規格のMD標準はJIS B2220では規定されていないものに関し、株式会社MDメタルの基準規格品となります。

※※※ 上記以外の品種につきましては見積もりさせていただきます ※※※

材 質		SUSF304									
品 名		SOH(A) RF	SO RF		BL RF		SOP FF	SOP RF	BL FF	TR FF	
形 状											
規 格		JIS B2220	JPI-7S-15				JIS G3443-2 / MD 標準			JIS B2220	
呼径／圧力		20K	150LB	300LB	150LB	300LB	F12	F12	F12	5K	10K
10 ^A	3/8 ^B										1,950
15 ^A	1/2 ^B	1,710	1,080	1,690	1,040	1,580				1,180	1,950
20 ^A	3/4 ^B	2,100	1,530	2,880	1,530	2,660				1,440	2,350
25 ^A	1 ^B	3,240	2,020	3,520	2,040	3,370				1,840	3,710
32 ^A	1-1/4 ^B	4,120								2,750	4,110
40 ^A	1-1/2 ^B	4,120	3,340	6,150	3,530	6,050				3,090	4,470
50 ^A	2 ^B	4,490	4,990	6,920	5,380	7,010				3,610	5,200
65 ^A	2-1/2 ^B	6,290	7,500	9,730	8,420	10,300				4,960	7,180
80 ^A	3 ^B	8,880	8,920	13,600	10,500	14,400	7,660	8,430	9,930	6,570	7,880
90 ^A	3-1/2 ^B										
100 ^A	4 ^B	11,600	12,500	22,500	15,000	24,500	9,050	9,960	12,700	8,640	10,200
125 ^A	5 ^B	23,820	14,600		18,400		11,400	12,600	17,200		
150 ^A	6 ^B	31,200	18,000		24,100		14,600	16,100	23,200		
200 ^A	8 ^B	39,300	28,600		41,300		17,900	19,700	32,500		
250 ^A	10 ^B	69,300	40,600		61,300		26,800	29,500	51,400		
300 ^A	12 ^B	81,600	63,900		92,300		31,900	35,100	56,600		
350 ^A	14 ^B						49,600	54,600			
400 ^A	16 ^B						57,200	63,000			
450 ^A	18 ^B						76,700				
500 ^A	20 ^B						89,400				
550 ^A	22 ^B										
600 ^A	24 ^B						114,900				

規格のMD標準はJIS B2220およびJIS G3443-2では規定されていないものに関し、株式会社MDメタルの基準規格品となります。

※※※ 上記以外の品種につきましては見積もりさせていただきます ※※※








材 質		SUSF316				SUSF316L											
品 名		SOP FF		BL FF		SOP RF		BL RF		SOP FF		BL FF		SOP RF		BL RF	
形 状																	
規 格		JIS B2220				JIS B2220 / MD 標準				JIS B2220				JIS B2220 / MD 標準			
呼径／圧力		5K		10K		5K		10K		5K		10K		5K		10K	
10 ^A	3/8 ^B	1,160	1,980	1,230	2,230	2,180	2,460	1,360	2,320	1,440	2,620	2,560	2,890				
15 ^A	1/2 ^B	1,160	1,980	1,230	2,230	2,180	2,460	1,360	2,320	1,440	2,620	2,560	2,890				
20 ^A	3/4 ^B	1,360	2,440	1,550	2,890	2,690	3,180	1,600	2,860	1,820	3,400	3,150	3,740				
25 ^A	1 ^B	1,670	3,740	1,930	4,390	4,120	4,830	1,960	4,400	2,260	5,160	4,840	5,680				
32 ^A	1-1/4 ^B	2,960	4,850	3,590	6,140	5,340	6,760	3,480	5,700	4,220	7,220	6,270	7,950				
40 ^A	1-1/2 ^B	2,960	4,850	3,590	6,140	5,340	6,760	3,480	5,700	4,220	7,220	6,270	7,950				
50 ^A	2 ^B	3,690	5,560	4,820	7,180	6,120	7,900	4,340	6,540	5,660	8,440	7,200	9,290				
65 ^A	2-1/2 ^B	4,850	7,310	6,600	10,500	8,050	11,600	5,700	8,600	7,760	12,300	9,460	13,600				
80 ^A	3 ^B	5,890	7,310	8,810	11,200	8,050	12,400	6,920	8,600	10,400	13,200	9,460	14,600				
90 ^A	3-1/2 ^B																
100 ^A	4 ^B	7,010	8,780	12,100	14,600	9,660	16,100	8,240	10,400	14,200	17,100	11,500	18,900				
125 ^A	5 ^B	9,540	13,600	17,000	23,000	15,000	25,300	11,300	16,000	20,000	27,000	17,600	29,700				
150 ^A	6 ^B	14,600	18,900	24,700	32,200	20,800	35,500	17,100	22,200	29,000	37,800	24,500	41,600				
200 ^A	8 ^B	20,800	22,300	40,000	44,400	24,600	48,900	24,400	26,200	47,000	52,200	28,900	57,500				
250 ^A	10 ^B	31,200	35,400	62,800	72,800	39,000	80,100	46,950	41,600	96,000	85,600	45,800	94,200				
300 ^A	12 ^B	33,900	37,800	78,900	89,500	41,600	98,500	51,000	44,400	121,000	105,200	48,900	115,800				
350 ^A	14 ^B	47,600	54,600						64,200								
400 ^A	16 ^B	58,500	78,900						92,800								
450 ^A	18 ^B																
500 ^A	20 ^B																
550 ^A	22 ^B																
600 ^A	24 ^B																

規格のMD標準はJIS B2220では規定されていないものに関し、株式会社MDメタルの基準規格品となります。

※※※ 上記以外の品種につきましては見積もりさせていただきます ※※※








炭素鋼製管フランジ

単位：(円)

材 質		SS400 黒														
品 名		SOP FF			BL FF			SOP RF		BL RF		SOP LJ	SOP FF	BL FF		
形 状																
規 格		JIS B2220 / MD 標準											JIS G3443-2 / MD 標準			
呼径／圧力		5K	10K	20K	5K	10K	20K	10K	20K	10K	20K	10K	20K	10K	F12	F12
10 ^A	3/8 ^B	230	350		410	480										
15 ^A	1/2 ^B	210	330	630	360	460	710	480	630	740	780	430				
20 ^A	3/4 ^B	250	390	710	380	510	740	530	710	760	800	490				
25 ^A	1 ^B	260	490	950	410	650	1,240	590	950	890	1,240	710				
32 ^A	1-1/4 ^B	390	680	1,180	620	850	1,550	830	1,180	1,150	1,550	900				
40 ^A	1-1/2 ^B	410	720	1,230	640	1,030	1,650	870	1,230	1,250	1,650	1,000				
50 ^A	2 ^B	530	840	1,410	750	1,090	1,840	1,010	1,410	1,430	1,840	1,130				
65 ^A	2-1/2 ^B	710	1,140	1,930	1,070	1,550	2,500	1,360	1,930	1,980	2,500	1,430				
80 ^A	3 ^B	960	1,190	2,560	1,350	1,650	3,430	1,430	2,560	1,990	3,430	1,500	2,910	3,460		
90 ^A	3-1/2 ^B	1,490	2,080		2,640	3,380										
100 ^A	4 ^B	1,160	1,390	3,810	1,880	2,180	4,590	1,660	3,810	2,500	4,590	1,840	3,610	4,880		
125 ^A	5 ^B	1,490	2,080	6,460	2,640	3,380	9,050	2,500	6,460	3,880	9,050	2,590	4,840	6,300		
150 ^A	6 ^B	2,070	2,770	6,980	3,810	4,790	9,840	3,330	6,980	5,400	9,840	3,560	6,050	7,550		
175 ^A	7 ^B	3,850	5,190		6,250	8,630										
200 ^A	8 ^B	2,920	3,310	9,540	6,160	6,610	12,500	3,970	9,540	7,360	12,500	4,070	8,080	9,590		
225 ^A	9 ^B	6,420	9,730		10,400	13,200										
250 ^A	10 ^B	4,600	5,190	15,500	9,730	10,680	25,000	6,230	15,500	11,880	25,000	6,890	10,940	15,460		
300 ^A	12 ^B	5,240	5,940	20,450	12,250	13,130	30,840	7,140	20,450	15,100	30,840	7,460	14,590	21,960		
350 ^A	14 ^B	8,240	8,330		18,060	18,450		9,600		21,300			19,990	28,340		
400 ^A	16 ^B	8,950	12,150		22,740	26,500							21,600	31,680		
450 ^A	18 ^B	12,050	16,480		28,890	34,930										
500 ^A	20 ^B	14,140	18,780		33,310	44,690										
550 ^A	22 ^B	18,930	24,300		47,540	59,400										
600 ^A	24 ^B	19,630	26,200		51,460	65,890										

規格のMD標準はJIS B2220およびJIS G3443-2では規定されていないものに関し、株式会社MDメタルの基準規格品となります。

※※※ 上記以外の品種につきましては見積もりさせていただきます ※※※







材 質		SS400 (白メッキ)											
品 名		SOP FF			BL FF		SOP RF	BL RF	SOP LJ			SOP FF	BL FF
形 状													
規 格		JIS B2220 / MD 標準										JIS G3443-2 / MD 標準	
呼径/圧力		5K	10K	20K	5K	10K	10K	10K	5K	10K	20K	F12	F12
10 ^A	3/8 ^B	440	500		550	680							
15 ^A	1/2 ^B	310	480		420	660	510	890	510	510	880		
20 ^A	3/4 ^B	320	530		440	700	570	950	570	570	980		
25 ^A	1 ^B	340	690		530	920	730	1,160	830	830	1,290		
32 ^A	1-1/4 ^B	520	900		750	1,150	960	1,510	1,060	1,060	1,400		
40 ^A	1-1/2 ^B	550	940		770	1,180	1,060	1,650	1,180	1,180	1,410		
50 ^A	2 ^B	710	1,210	1,560	990	1,330	1,210	1,910	1,330	1,330	1,580		
65 ^A	2-1/2 ^B	960	1,640	2,110	1,380	1,880	1,850	2,660	1,680	1,680	2,150		
80 ^A	3 ^B	1,280	1,700	2,950	1,820	2,050	1,940	2,730	1,760	1,760	3,140	3,680	4,460
90 ^A	3-1/2 ^B		3,000			4,250							
100 ^A	4 ^B	1,550	1,980	4,560	2,350	2,920	2,160	3,360	2,160	2,160	4,050	4,790	6,180
125 ^A	5 ^B	2,020	3,000	7,740	3,300	4,250	3,040	5,380	3,040	3,040	6,440	6,210	8,050
150 ^A	6 ^B	2,790	3,980	8,360	4,770	6,000	4,190	7,490	4,190	4,190	8,340	7,160	9,880
175 ^A	7 ^B												
200 ^A	8 ^B	4,020	4,760	11,440	7,740	8,290	4,790	10,240	4,790	4,790	10,400	9,730	12,800
225 ^A	9 ^B												
250 ^A	10 ^B	6,140	7,470		12,270	14,780	8,100	16,610	8,100	8,100	18,080	14,000	20,550
300 ^A	12 ^B	6,930	7,630		15,460	18,020	8,780	21,200	8,780	8,780	21,290	18,100	28,430
350 ^A	14 ^B	10,740	11,440		22,700	25,340				11,640		28,090	37,590
400 ^A	16 ^B	11,880	16,640		27,040	35,730				17,500		32,950	42,930
450 ^A	18 ^B	15,300	21,100		33,120	45,590							
500 ^A	20 ^B	17,540	23,760		39,060	55,550							
550 ^A	22 ^B	25,400	35,510		61,780	80,600							
600 ^A	24 ^B	26,450	36,330		62,980	85,730							

規格のMD標準はJIS B2220およびJIS G3443-2では規定されていないものに関し、株式会社MDメタルの基準規格品となります。

※※※ 上記以外の品種につきましては見積もりさせていただきます ※※※

炭素鋼製管フランジ (鍛造材)









単位: (円)







材 質		SFVC2A											
品 名		SOH(A) RF	BL RF	SO RF		BL RF		WN RF S40/S80		S160	SW RF S40/S80		
形 状													
規 格		JIS B2220				JPI-7S-15							
呼径/圧力		20K	20K	150LB	300LB	150LB	300LB	150LB	300LB	150LB	150LB	300LB	
10 ^A	3/8 ^B												
15 ^A	1/2 ^B	950	1,100	950	1,140	1,100	1,250	2,600	2,860	3,110	1,630	1,790	
20 ^A	3/4 ^B	1,100	1,220	990	1,620	1,140	1,680	2,780	3,190	3,420	1,680	2,450	
25 ^A	1 ^B	1,480	1,420	1,020	1,910	1,140	2,060	3,200	3,650	4,000	1,850	2,930	
32 ^A	1-1/4 ^B	1,880	1,990	1,800	3,650	1,960	3,310		8,160				
40 ^A	1-1/2 ^B	1,990	2,110	1,650	3,160	1,760	2,900	3,880	6,300	5,220	2,990	5,590	
50 ^A	2 ^B	2,220	2,290	1,910	3,500	2,140	3,540	5,490	6,790	6,950	4,580	6,420	
65 ^A	2-1/2 ^B	3,270	3,760	3,010	5,870	3,760	5,560	8,640					
80 ^A	3 ^B	4,580	4,510	3,420	5,980	4,360	6,050	10,440	13,750				
100 ^A	4 ^B	6,020	5,790	4,850	8,990	6,260	8,870	14,990	22,530				
125 ^A	5 ^B			6,100	14,470	7,700	14,190	22,210					
150 ^A	6 ^B	12,280		6,860	15,020	10,060	18,780	24,340					
200 ^A	8 ^B	15,480		10,940	24,000	17,270	30,510	46,300					
250 ^A	10 ^B			15,510	33,800	25,650	47,620						
300 ^A	12 ^B			24,500	51,820	38,620	69,650						
350 ^A	14 ^B			31,200	71,880	45,720	94,340						
400 ^A	16 ^B			39,810	92,430	63,090	123,720						
450 ^A	18 ^B			44,000		72,850							
500 ^A	20 ^B			58,860		90,520							
550 ^A	22 ^B												
600 ^A	24 ^B			83,800		138,320							

※※※ 上記以外の品種につきましては見積もりさせていただきます ※※※

ステンレス鋼製ねじ込み接手

単位: (円)





材 質	SCS-13A (S-304)							
品 名	90°エルボ	45°エルボ	ユニオン	チーズ	プラグ	ストリートエルボ	ブッシング	クロス
形 状								
製品記号	ネジ-90E	ネジ-45E	ネジ-U	ネジ-T	ネジ-P	ネジ-ストE	ネジ-BU	ネジ-クロス
6A	960	1,670	2,850	1,380	450	1,660		3,700
8A	960	1,670	2,850	1,380	450	1,660	620	3,700
10A	980	1,670	2,940	1,500	490	1,700	620	3,780
15A	1,200	1,920	3,320	1,630	770	2,270	760	3,880
20A	1,710	2,890	4,330	2,340	1,050	2,890	1,130	5,460
25A	2,400	3,950	5,720	3,330	1,460	3,890	1,800	8,380
32A	3,800	5,230	7,350	5,100	1,810	5,720	2,500	12,100
40A	4,440	6,620	9,270	5,900	2,120	7,300	3,220	13,100
50A	6,610	9,560	13,000	9,000	3,140	10,600	4,700	19,200
65A	15,300	16,800	23,100	16,100	7,100		9,060	
80A	22,000	20,700	33,800	21,200	8,820		12,500	
100A	41,000	37,200	58,200	42,800	15,300		24,800	








材 質	SCS-13A (S-304)							
品 名	径違いエルボ	径違いチーズ	径違いソケット	キャップ	六角ニップル	径違いニップル		
形 状								
製品記号	ネジ-イケイ90E	ネジ-イケイT	ネジ-イケイS	ネジ-CAP	6カクN	6カクイケイN		
6A				630	720			
8A	1,460	1,950	1,100	630	720	990		
10A	1,460	1,950	1,100	630	720	990		
15A	1,610	2,120	1,640	880	970	1,480		
20A	2,500	3,100	2,160	1,120	1,520	1,910		
25A	3,460	4,640	3,400	1,460	2,080	2,770		
32A	4,980	6,900	5,260	1,960	2,790	4,630		
40A	6,340	7,900	7,200	2,320	3,780	6,890		
50A	8,930	12,200	10,700	3,370	5,410	10,800		
65A				7,000	9,980			
80A				9,300	14,800			
100A				15,920	22,500			

ステンレス鋼製ねじ込み接手

片長ニップル 175L 在庫外となります

単位: (円)








材 質	S-304							
品 名	ニップル	片ニップル	両長ニップル			片長ニップル		
形 状								
製品記号	N	NS	50L	75L	100L	125L	150L	175L/200L
6A	380	380	480	660	770	960	1,030	1,280
8A	380	380	480	660	770	960	1,030	1,280
10A	380	380	480	660	770	960	1,030	1,280
15A	470	470	650	770	890	1,190	1,310	1,620
20A	530	530	700	930	1,040	1,300	1,540	1,900
25A	720	720	820	1,140	1,340	1,600	1,880	2,330
32A	1,030	1,030		1,600	2,010	2,560	2,890	3,840
40A	1,150	1,150		1,920	2,410	3,000	3,380	4,330
50A	1,640	1,640		2,400	2,980	3,800	4,320	5,440
65A	3,030	3,030			4,840		6,750	
80A	3,980	3,980			5,930		8,310	
100A	7,500	7,500			9,120		14,280	



材 質	S-304						SCS-13(S-304)	
品 名	ソケット	ハーフソケット	厚口ソケット	テーパソケット	ハーフテーパソケット	ホースニップル	六角ホースニップル	
形 状								
製品記号	ネジ-S	ハーフS	ネジ-アツクチS	テーパー-S	ハーフテーパー-S	HN	6カク-HN	
6A	530	430	870	990		680	1,460	6.0マル
8A	530	430	870	990	790	680	1,460	8.0マル
10A	530	430	870	990	790	680	1,460	10.5マル
15A	570	460	1,300	1,480	1,130	900	1,850	14.0マル
20A	820	610	1,820	2,130	1,600	960	3,180	20.0マル
25A	1,150	880	2,060	2,530	1,930	1,420	3,980	26.5マル
32A	1,600	1,260	3,240	4,100	3,070	2,270	5,960	34.0マル
40A	1,920	1,470	3,990	4,600	3,450	2,660	7,160	40.5マル
50A	2,900	2,250	5,500	6,320	4,770	3,270	10,200	52.5マル
65A	5,300	4,080		12,100				
80A	6,920	5,360		15,900				
100A	12,000	9,230		28,600				

※ソケットの125A,150A在庫品です。

ステンレス鋼製ねじ込み接手

単位：(円)

材 質	SCS-14A (S-316)							
品 名	90°エルボ	45°エルボ	ユニオン	チーズ	プラグ	ストリートエルボ	ブッシング	
形 状								
製品記号	ネジ-90E	ネジ-45E	ネジ-U	ネジ-T	ネジ-P	ネジ-ストE	ネジ-BU	
6A	1,530	2,580	4,520	2,100	730			
8A	1,530	2,580	4,520	2,100	730	2,650	980	
10A	1,570	2,580	4,700	2,320	770	2,700	980	
15A	1,920	2,960	5,300	2,480	1,200	3,600	1,200	
20A	2,730	4,430	6,900	3,570	1,620	4,580	1,830	
25A	3,840	6,060	9,180	5,100	2,300	6,200	2,900	
32A	6,100	8,460	12,000	7,540	2,890	9,320		
40A	7,100	10,580	14,900	8,720	3,430	11,800		
50A	10,700	15,300	20,900	13,400	5,030	16,900		

材 質	SCS-14A (S-316)							
品 名	キャップ	六角ニップル						
形 状								
製品記号	ネジ-CAP	6カクN						
6A	990	1,160						
8A	990	1,160						
10A	990	1,160						
15A	1,370	1,550						
20A	1,800	2,450						
25A	2,300	3,360						
32A	3,160	4,510						
40A	3,770	6,070						
50A	5,420	8,700						

ステンレス鋼製ねじ込み接手

単位：(円)

材 質	S-316							
品 名	ニップル	片ニップル	両長ニップル			片長ニップル		
形 状								
製品記号	N	NS	50L	75L	100L	50L	100L	
6A	570	570						
8A	570	570	820	1,270	1,310	820	1,310	
10A	570	570	820	1,270	1,310	820	1,310	
15A	700	700	1,120	1,400	1,530	1,120	1,530	
20A	880	880	1,380	1,920	2,070	1,380	2,070	
25A	1,190	1,190	1,660	2,560	2,670	1,660	2,670	
32A	1,700	1,700						
40A	1,900	1,900						
50A	2,710	2,710						

材 質	S-316							
品 名	ソケット							
形 状								
製品記号	ネジ-S							
6A	840							
8A	840							
10A	840							
15A	910							
20A	1,300							
25A	1,820							
32A	2,650							
40A	3,100							
50A	4,700							



株式会社 **大一商会**

本 社

〒455-0046 名古屋市港区大手町6丁目10番地
TEL.052-653-9151 FAX.052-653-9161

東京支店

〒135-0042 東京都江東区木場六丁目6番2号
TEL.03-3648-7776 FAX.03-3648-3888

千葉支店

〒290-0046 千葉県市原市岩崎西一丁目4番地6
TEL.0436-25-1361 FAX.0436-25-1362

大阪支店

〒555-0043 大阪市西淀川区大野一丁目12番3号
TEL.06-6478-0055 FAX.06-6478-0066

岡山支店

〒702-8022 岡山県岡山市南区福成二丁目17番11号
TEL.086-261-4877 FAX.086-261-4878

山口支店

〒740-0001 山口県岩国市装束町5丁目4-17
TEL.0827-21-5544 FAX.0827-21-5545